

Bibliography

Compiled by Daniel Richter

From 1st December 2012 to 31st May 2013

Alappat, L., Frechen, M., Tsukamoto, S., and Vink, A. (2012). Reply to 'Comment on: "Establishing the Late Pleistocene-Holocene sedimentation boundary in the southern North Sea using OSL dating of shallow continental shelf sediments" by L. Alappat, A. Vink, S. Tsukamoto, M. Frechen, Proceedings of the Geologists' Association 121 (2010), 43-54' by B. Mauz. *Proceedings of the Geologists Association* **123**, 666-668.

Amos, C. B., Lutz, A. T., Jayko, A. S., Mahan, S. A., Fisher, G. B., and Unruh, J. R. (2013). Refining the Southern Extent of the 1872 Owens Valley Earthquake Rupture through Paleoseismic Investigations in the Haiwee Area, Southeastern California. *Bulletin of the Seismological Society of America* **103**, 1022-1037.

Anthony, E. J., Mrani-Alaoui, M., and Héquette, A. (2012). Reply to the comment on "Shoreface sand supply and mid- to late Holocene aeolian dune formation on the storm dominated macrotidal coast of the southern North Sea" by E.J. Anthony, M. Mrani-Alaoui and A. Héquette [Marine Geology 276 (2010) 100–104]. *Marine Geology* **311–314**, 67-70.

Antoine, P., Rousseau, D.-D., Degeai, J.-P., Moine, O., Lagroix, F., kreutzer, S., Fuchs, M., Hatté, C., Gauthier, C., Svoboda, J., and Lisá, L. (2013). High-resolution record of the environmental response to climatic variations during the Last Interglacial–Glacial cycle in Central Europe: the loess-palaeosol sequence of Dolní Věstonice (Czech Republic). *Quaternary Science Reviews* **67**, 17-38.

Armitage, S. J., and King, G. E. (2013). Optically stimulated luminescence dating of hearths from the Fazzan Basin, Libya: A tool for determining the timing and pattern of Holocene occupation of the Sahara. *Quaternary Geochronology* **15**, 88-97.

Arnold, L. J., Demuro, M., Navazo, M., Benito-Calvo, A., and Pérez-González, A. (2013). OSL dating of the Middle Palaeolithic Hotel California site, Sierra de Atapuerca, north-central Spain. *Boreas* **42**, 285-305.

Avcioglu, M., Erginal, A. E., Kiyak, N. G., Kapan-Yesilyurt, S., and Yigitbas, E. (2013). A Preliminary Note on Depositional Characteristics and Optical Luminescence Age of a Marine Terrace, Strait of Canakkale, Turkey. *Journal of Coastal Research* **29**, 225-230.

Baeteman, C., and Mauz, B. (2012). Comments on "Shoreface sand supply and mid- to late Holocene aeolian dune formation on the storm-dominated macrotidal coast of the southern North Sea" by E.J. Anthony, M. Mrani-Alaoui and A. Héquette [Marine Geology 276 (2010) 100-104]. *Marine Geology* **311–314**, 63-66.

Bailiff, I. K., Lacey, H. R., Coningham, R. A. E., Gunawardhana, P., Adikari, G., Davis, C. E., Manuel, M. J., and Strickland, K. M. (2013). Luminescence dating of brick stupas: an application to the hinterland of Anuradhapura, Sri Lanka. *Antiquity* **87**, 189–201.

Bali, R., Nawaz Ali, S., Agarwal, K. K., Rastogi, S. K., Krishna, K., and Srivastava, P. (2013). Chronology of late Quaternary glaciation in the Pindar valley, Alaknanda basin, Central Himalaya (India). *Journal of Asian Earth Sciences* **66**, 224-233.

Baltrūnas, V., Šeirienė, V., Molodkov, A., Zinkutė, R., Katinas, V., Karmaza, B., Kisielienė, D., Petrošius, R., Taraškevičius, R., Piličiauskas, G., Schmölcke, U., and Heinrich, D. (2013). Depositional environment and climate changes during the late Pleistocene as recorded by the Netiesos section in southern Lithuania. *Quaternary International* **292**, 136-149.

Bhattacharya, F., Rastogi, B. K., Ngangom, M., Thakkar, M. G., and Patel, R. C. (2013). Late Quaternary climate and seismicity in the Katrol hill range, Kachchh, western India. *Journal of Asian Earth Sciences* **73**, 114-120.

Boroda, R., Matmon, A., Amit, R., Haviv, I., Porat, N., Aster, T., Rood, D., Eyal, Y., and Enzel, Y. (2013). Long-term talus flatirons formation in the hyperarid northeastern Negev, Israel. *Quaternary Research* **79**, 256-267.

Bridgland, D. R., Harding, P., Allen, P., Candy, I., Cherry, C., George, W., Horne, D. J., Keen, D. H., Penkman, K. E. H., Preece, R. C., Rhodes, E. J., Scaife, R., Schreve, D. C., Schwenninger, J.-L., Slipper, I., Ward, G. R., White, M. J., White, T. S., and Whittaker, J. E. (2013). An enhanced record of MIS 9 environments, geochronology and

geoarchaeology: data from construction of the High Speed 1 (London-Channel Tunnel) rail-link and other recent investigations at Purfleet, Essex, UK. *Proceedings of the Geologists Association* **124**, 417-476.

Cano, N. F., Machado, N. T. G., Gennari, R. F., Rocca, R. R., Munita, C. S., and Watanabe, S. (2012). TL dating of pottery fragments from four archaeological sites in Taquari Valley, Brazil. *Radiation Effects and Defects in Solids* **167**, 947-953.

Chen, G.-Q., Yi, L., Xu, X.-Y., Yu, H.-J., Cao, J.-R., Su, Q., Yang, L.-H., Xu, Y.-H., Ge, J.-Y., and Lai, Z.-P. (2013). Testing the standardized growth curve (SGC) to OSL dating coastal sediments from the south Bohai Sea, China. *Geochronometria* **40**, 101-112.

Chen, Y., Li, S.-H., Sun, J., and Fu, B. (2013). OSL dating of offset streams across the Altyn Tagh Fault: Channel deflection, loess deposition and implication for the slip rate. *Tectonophysics* **594**, 182-194.

Corcea, C. A., Constantin, D., Anechitei, V., Timar-Gabor, A., and Filipescu, S. (2013). SAR OSL dating of 63-90 μm quartz extracted from an Eemian (presumably lacustrine) sedimentary section at Floresti on the Somesul Mic Valley. *Carpathian Journal of Earth and Environmental Sciences* **8**, 139-145.

Czopek, S., Kusiak, J., and Trybała-Zawiślak, K. (2013). Thermoluminescent dating of the Late Bronze and Early Iron Age pottery on sites in Kłyżów and Jarosław (SE Poland). *Geochronometria* **40**, 113-125.

Demuro, M., Arnold, L. J., Froese, D. G., and Roberts, R. G. (2013). OSL dating of loess deposits bracketing Sheep Creek tephra beds, northwest Canada: Dim and problematic single-grain OSL characteristics and their effect on multi-grain age estimates. *Quaternary Geochronology* **15**, 67-87.

Dibble, H. L., Aldeias, V., Alvarez-Fernández, E., Blackwell, B., Hallett-Desguez, E., Jacobs, Z., Goldberg, P., Lin, S. C., Morala, A., Meyer, M. C., Olzsewski, D. I., Reed, K., Reed, D., Rezek, Z., Richter, D., Roberts, R. G., Sandgathe, D., Schurmans, U., Skinner, A., Steele, T., and El-Hajraoui, M. (2012). New Excavations at the Site of Contrebandiers Cave, Morocco. *PaleoAnthropology* **2012**, 145-201.

Erginal, A. E., Kiyak, N. G., Ekinçi, Y. L., Demirci, A., Ertek, A., and Canel, T. (2013). Age, composition and paleoenvironmental significance of a Late Pleistocene eolianite from the western Black Sea coast of Turkey. *Quaternary International* **296**, 168-175.

Erginal, A. E., Kiyak, N. G., Ozturk, M. Z., Avcioglu, M., Bozcu, M., and Yigitbas, E. (2012). Cementation characteristics and age of beachrocks in a fresh-water environment, Lake Iznik, NW Turkey. *Sedimentary Geology* **243**, 148-154.

Fedorowicz, S., Łanczont, M., Bogucki, A., Kusiak, J., Mroczek, P., Adamiec, G., Bluszcz, A., Moska, P., and Tracz, M. (2013). Loess-paleosol sequence at Korshiv (Ukraine): Chronology based on complementary and parallel dating (TL, OSL), and litho-pedosedimentary analyses. *Quaternary International* **296**, 117-130.

Forsyth, A. J., Nott, J., Bateman, M. D., and Beaman, R. J. (2012). Juxtaposed beach ridges and foredunes within a ridge plain — Wonga Beach, northeast Australia. *Marine Geology* **307–310**, 111-116.

Frochoso, M., Gonzalez-Pellejero, R., and Allende, F. (2013). Pleistocene glacial morphology and timing of last glacial cycle in cantabrian mountains (Northern Spain): new chronological data from the Asn area. *Central European Journal of Geosciences* **5**, 12-27.

Gattuso, C., Renzelli, D., Barone, P., Pingitore, V., and Oliva, A. (2012). SAR and MAAD TL dating of "Caroselu" from three sites in Calabria, South Italy. *Mediterranean Archaeology and Archaeometry* **12**, 43-54.

Gerardi, F., Smedile, A., Pirrotta, C., Barbano, M. S., De Martini, P. M., Pinzi, S., Gueli, A. M., Ristuccia, G. M., Stella, G., and Troja, S. O. (2012). Geological record of tsunami inundations in Pantano Morghella (south-eastern Sicily) both from near and far-field sources. *Natural Hazards and Earth System Sciences* **12**, 1185-1200.

Guérin, G., Murray, A. S., Jain, M., Thomsen, K. J., and Mercier, N. (2013). How confident are we in the chronology of the transition between Howieson's Poort and Still Bay? *Journal of Human Evolution* **64**, 314-317.

Guhl, A., Bertran, P., Zielhofer, C., and Fitzsimmons, K. E. (2013). Optically Stimulated Luminescence (OSL) dating of sand-filled wedge structures and their fine-grained host sediment from Jonzac, SW France. *Boreas* **42**, 317-332.

Gurgel, S. P. P., Bezerra, F. H. R., Corrêa, A. C. B., Marques, F. O., and Maia, R. P. (2013). Cenozoic uplift and erosion of structural landforms in NE Brazil. *Geomorphology* **186**, 68-84.

- Hall, S. A., and Goble, R. J. (2012). Berino Paleosol, Late Pleistocene Argillic Soil Development on the Mescalero Sand Sheet in New Mexico. *Journal of Geology* **120**, 333-345.
- Hérisson, D., Airvaux, J., Lenoble, A., Richter, D., Claud, E., and Primault, J. (2012). Le gisement acheuléen de la Grande Vallée à Colombiers (Vienne, France): stratigraphie, processus de formation, datations préliminaires et industries lithiques. *Paléo* **23**, 137-154.
- Holmes, P. J., Thomas, D. S. G., Bateman, M. D., Wiggs, G. F. S., and Rabumbulu, M. (2012). Evidence for land degradation from aeolian sediment in the West-Central Free State Province, South Africa. *Land Degradation & Development* **23**, 601-610.
- Hong, H., Gu, Y., Yin, K., Wang, C., and Li, Z. (2013). Clay record of climate change since the mid-Pleistocene in Jiujiang, south China. *Boreas* **42**, 173-183.
- Houben, P., Schmidt, M., Mauz, B., Stobbe, A., and Lang, A. (2013). Asynchronous Holocene colluvial and alluvial aggradation: A matter of hydrosedimentary connectivity. *The Holocene* **23**, 544-555.
- Hu, Z., Pan, B., Wang, J., Cao, B., and Gao, H. (2012). Fluvial terrace formation in the eastern Fenwei Basin, China, during the past 1.2 Ma as a combined archive of tectonics and climate change. *Journal of Asian Earth Sciences* **60**, 235-245.
- Huang, C. C., Pang, J., Zha, X., Zhou, Y., Yin, S., Su, H., Zhou, L., and Yang, J. (2013). Extraordinary hydro-climatic events during the period AD 200–300 recorded by slackwater deposits in the upper Hanjiang River valley, China. *Palaeogeography, Palaeoclimatology, Palaeoecology* **374**, 274-283.
- Huckleberry, G., Onken, J., Graves, W. M., and Wegener, R. (2013). Climatic, geomorphic, and archaeological implications of a late Quaternary alluvial chronology for the lower Salt River, Arizona, USA. *Geomorphology* **185**, 39-53.
- Kadereit, A., and Kreuzer, S. (2013). Risø calibration quartz – A challenge for β -source calibration. An applied study with relevance for luminescence dating. *Measurement* **46**, 2238-2250.
- Keen-Zebert, A., Tooth, S., Rodnight, H., Duller, G. A. T., Roberts, H. M., and Grenfell, M. (2013). Late Quaternary floodplain reworking and the preservation of alluvial sedimentary archives in unconfined and confined river valleys in the eastern interior of South Africa. *Geomorphology* **185**, 54-66.
- Kusiak, J., Łanczont, M., Madeyska, T., and Bogucki, A. (2013). Problems of TL dating of the Mesopleistocene loess deposits in the Podillya and Pokuttya regions (Ukraine). *Geochronometria* **40**, 51-58.
- Lahaye, C., Hernandez, M., Boëda, E., Felice, G. D., Guidon, N., Hoeltz, S., Lourdeau, A., Pagli, M., Pessis, A.-M., Rasse, M., and Viana, S. (2013). Human occupation in South America by 20,000 BC: the Toca da Tira Peia site, Piauí, Brazil. *Journal of Archaeological Science* **40**, 2840-2847.
- Lamotte, A., Aubry, D., Debenham, N., Magniez, P., Le Mené, F., and Galtier, F. (2012). Le gisement paléolithique de Pont-de-Planches (Haute-Saône, France) : cadre paléoenvironnemental et datations des occupations du Paléolithique moyen et Paléolithique supérieur. *Quaternaire* **23**, 291-308.
- Łanczont, M., Bogucki, A., Kusiak, J., and Sytnyk, O. (2013). The results of thermoluminescence dating in the Halych IIC (Ukraine) profile as the expression of the conditions of mineral material deposition. *Geochronometria* **40**, 42-50.
- Lim, J., Kim, J.-Y., Kim, S.-J., Lee, J.-Y., and Hong, S.-S. (2013). Late Pleistocene vegetation change in Korea and its possible link to East Asian monsoon and Dansgaard–Oeschger (D–O) cycles. *Quaternary Research* **79**, 55-60.
- Liu, X.-J., and Lai, Z.-P. (2013). Optical dating of sand wedges and ice-wedge casts from Qinghai Lake area on the northeastern Qinghai-Tibetan Plateau and its palaeoenvironmental implications. *Boreas* **42**, 333-341.
- Lovis, W. A., Monaghan, G. W., Arbogast, A. F., and Forman, S. L. (2012). Differential Temporal and Spatial Preservation of Archaeological Sites in a Great Lakes Coastal Zone. *American Antiquity* **77**, 591-608.
- Luirei, K., Bhakuni, S. S., Srivastava, P., and Suresh, N. (2012). Late Pleistocene - Holocene tectonic activities in the frontal part of NE Himalaya between Siang and Dibang river valleys, Arunachal Pradesh, India. *Zeitschrift für Geomorphologie* **56**, 477-493.

- Macklin, M. G., Woodward, J. C., Welsby, D. A., Duller, G. A. T., Williams, F. M., and Williams, M. A. J. (2013). Reach-scale river dynamics moderate the impact of rapid Holocene climate change on floodwater farming in the desert Nile. *Geology* **41**, 695-698.
- Markewich, H. W., Pavich, M. J., Schultz, A. P., Mahan, S. A., Aleman-Gonzalez, W. B., and Bierman, P. R. (2013). Geochronologic evidence for a possible MIS-11 emergent barrier/beach-ridge in southeastern Georgia, USA. *Quaternary Science Reviews* **60**, 49-75.
- Mauz, B. (2012). Comment on: "Establishing the Late Pleistocene-Holocene sedimentation boundary in the southern North Sea using OSL dating of shallow continental shelf sediments" by L. Alappat, A. Vink, S. Tsukamoto, M. Frechen. *Proceedings of the Geologists' Association* 121 (2010) 43-54. *Proceedings of the Geologists Association* **123**, 663-665.
- McIlvenny, J. D., Muller, F. L. L., and Dawson, A. (2013). A 7600-year sedimentary record of climatic instability in Dunnet Bay, North Scotland. *Marine Geology* **335**, 100-113.
- Meszner, S., Kreutzer, S., Fuchs, M., and Faust, D. (2013). Late Pleistocene landscape dynamics in Saxony, Germany: Paleoenvironmental reconstruction using loess-paleosol sequences. *Quaternary International* **296**, 94-107.
- Miallier, D., Pilleyre, T., Sanzelle, S., Boivin, P., and Lanos, P. (2012). Revised chronology of the youngest volcanoes of the chaîne des puys (french Massif central). *Quaternaire* **23**, 283-290.
- Möller, P., Anjar, J., and Murray, A. S. (2013). An OSL-dated sediment sequence at Idre, west-central Sweden, indicates ice-free conditions in MIS 3. *Boreas* **42**, 25-42.
- Moska, P., and Bluszcz, A. (2013). Luminescence dating of loess profiles in Poland. *Quaternary International* **296**, 51-60.
- Munykwa, K., Brown, S., and Kitabwalla, Z. (2012). Delineating stratigraphic breaks at the bases of postglacial eolian dunes in central Alberta, Canada using a portable OSL reader. *Earth Surface Processes and Landforms* **37**, 1603-1614.
- Pan, B., Hu, X., Gao, H., Hu, Z., Cao, B., Geng, H., and Li, Q. (2013). Late Quaternary river incision rates and rock uplift pattern of the eastern Qilian Shan Mountain, China. *Geomorphology* **184**, 84-97.
- Pascucci, V., Panzeri, L., Martini, M., Maspero, F., Sechi, D., and Andreucci, S. (2012). Is Optically Stimulated Luminescence a reliable tool for dating the Quaternary paleoenvironmental evolution? the case of Argentiera (NW-Sardinia, Italy). *Rendiconti Online Societa Geologica Italiana* **21**, 911-912.
- Pederson, J. L., Cragun, W. S., Hidy, A. J., Rittenour, T. M., and Gosse, J. C. (2013). Colorado River chronostratigraphy at Lee's Ferry, Arizona, and the Colorado Plateau bull's-eye of incision. *Geology* **41**, 427-430.
- Pflanz, D., Gaedicke, C., Freitag, R., Krbetschek, M., Tsukanov, N., and Baranov, B. (2013). Neotectonics and recent uplift at Kamchatka and Aleutian arc junction, Kamchatka Cape area, NE Russia. *International Journal of Earth Sciences* **102**, 903-916.
- Phartiyal, B., and Kothyari, G. C. (2012). Impact of neotectonics on drainage network evolution reconstructed from morphometric indices: case study from NW Indian Himalaya. *Zeitschrift für Geomorphologie* **56**, 121-140.
- Pickering, R., Jacobs, Z., Herries, A. I. R., Karkanas, P., Bar-Matthews, M., Woodhead, J. D., Kappen, P., Fisher, E., and Marean, C. W. (2013). Paleoanthropologically significant South African sea caves dated to 1.1–1.0 million years using a combination of U–Pb, TT-OSL and palaeomagnetism. *Quaternary Science Reviews* **65**, 39-52.
- Poręba, G. J., Śnieszko, Z., and Moska, P. (2013). Influence of pedon history and washing nature on luminescence dating of Holocene colluvium on the example of research on the Polish loess areas. *Quaternary International* **296**, 61-67.
- Preusser, F., Kock, S., and Rodnight, H. (2012). Comment on Frechen et al. "Late Pleistocene fluvial dynamics in the Hochrhein Valle and in the Upper Rhine Graben: chronological frame". *International Journal of Earth Sciences* **101**, 385-387.
- Putra, R. A., Hanson, P. R., and Young, A. R. (2013). Late Holocene Activation History of the Stanton Dunes, Northeastern Nebraska. *Great Plains Research* **23**, 11-23.

- Qiang, M., Chen, F., Song, L., Liu, X., Li, M., and Wang, Q. (2013). Late Quaternary aeolian activity in Gonghe Basin, northeastern Qinghai-Tibetan Plateau, China. *Quaternary Research* **79**, 403-412.
- Rich, J. (2013). A 250,000-year record of lunette dune accumulation on the Southern High Plains, USA and implications for past climates. *Quaternary Science Reviews* **62**, 1-20.
- Richter, D., Dibble, H., Goldberg, P., McPherron, S., Niven, L., Sandgathe, D., Talamo, S., and Turq, A. (2013). The Late Middle Palaeolithic in Southwest France: New TL dates for the sequence of Pech de l'Azé IV. *Quaternary International* **294**, 160–167.
- Rink, W. J., Dunbar, J. S., Tschinkel, W. R., Kwapich, C., Repp, A., Stanton, W., and Thulman, D. K. (2013). Subterranean transport and deposition of quartz by ants in sandy sites relevant to age overestimation in optical luminescence dating. *Journal of Archaeological Science* **40**, 2217-2226.
- Rizza, M., Vernant, P., Ritz, J. F., Peyret, M., Nankali, H., Nazari, H., Djamour, Y., Salamati, R., Tavakoli, F., Chéry, J., Mahan, S. A., and Masson, F. (2013). Morphotectonic and geodetic evidence for a constant slip-rate over the last 45 kyr along the Tabriz fault (Iran). *Geophysical Journal International* **193**, 1083-1094.
- Rosentau, A., Joeleht, A., Plado, J., Aunap, R., Muru, M., and Eskola, K. O. (2013). Development of the holocene foredune plain in the Narva-Joesuu area, eastern Gulf of Finland. *Geological Quarterly* **57**, 89-100.
- Roy, M., Allard, G., Lamothe, M., and Veillette, J. J. (2013). Glacial and nonglacial events in the eastern James Bay lowlands, Canada. *Canadian Journal of Earth Sciences* **50**, 379-396.
- Ryb, U., Matmon, A., Porat, N., and Katz, O. (2013). From mass-wasting to slope stabilization – putting constrains on a tectonically induced transition in slope erosion mode: a case study in the Judea Hills, Israel. *Earth Surface Processes and Landforms* **38**, 551-560.
- Şahiner, E., Meriç, N., and Uygun, S. (2013). Luminescence (IRSL) dating of Yeni Rabat church in Artvin, Turkey. *Radiation Physics and Chemistry* **86**, 68-73.
- Sanjurjo-Sánchez, J., Alves, C., and Lobarinhas, D. (2012). Estimating the age of lime mortars by luminescence to measure pollution rates. *Materials Science Forum* **730-732**, 598-603.
- Satkunas, J., Grigiene, A., Buynевич, I. V., and Taminskas, J. (2013). A new Early–Middle Weichselian palaeoenvironmental record from a lacustrine sequence at Svirkančiai, Lithuania. *Boreas* **42**, 184-193.
- Schmidt, C., and Kreuzer, S. (2013). Optically stimulated luminescence of amorphous/microcrystalline SiO₂ (silex): Basic investigations and potential in archeological dosimetry. *Quaternary Geochronology* **15**, 1-10.
- Schmidt, C., Rufer, D., Preusser, F., Krbetschek, M., and Hilgers, A. (2013). The assessment of radionuclide distribution in silex by autoradiography in the context of dose rate determination for thermoluminescence dating. *Archaeometry* **55**, 407-422.
- Schreve, D., Howard, A., Currant, A., Brooks, S., Buteux, S., Coope, R., Crocker, B., Field, M., Greenwood, M., Greig, J., and Toms, P. (2013). A Middle Devensian woolly rhinoceros (*Coelodonta antiquitatis*) from Whitemoor Haye Quarry, Staffordshire (UK): palaeoenvironmental context and significance. *Journal of Quaternary Science* **28**, 118-130.
- Sears, D. W. G., Ninagawa, K., and Singhvi, A. K. (2013). Luminescence studies of extraterrestrial materials: Insights into their recent radiation and thermal histories and into their metamorphic history. *Chemie der Erde - Geochemistry* **73**, 1-37.
- Seminack, C. T., and Buynевич, I. V. (2013). Sedimentological and Geophysical Signatures of A Relict Tidal Inlet Complex Along A Wave-Dominated Barrier: Assateague Island, Maryland, U.S.A. *Journal of Sedimentary Research* **83**, 104-116.
- Shanahan, T. M., Peck, J. A., McKay, N., Heil Jr, C. W., King, J., Forman, S. L., Hoffmann, D. L., Richards, D. A., Overpeck, J. T., and Scholz, C. (2013). Age models for long lacustrine sediment records using multiple dating approaches – An example from Lake Bosumtwi, Ghana. *Quaternary Geochronology* **15**, 47-60.
- Shirai, M., and Hayashizaki, R. (2013). Transport process of sand grains from fluvial to deep marine regions estimated by luminescence of feldspar: example from the Kumano area, central Japan. *Island Arc* **22**, 242-257.

- Sirocko, F., Dietrich, S., Veres, D., Grootes, P. M., Schaber-Mohr, K., Seelos, K., Nadeau, M.-J., Kromer, B., Rothacker, L., Röhner, M., Krbetschek, M., Appleby, P., Hambach, U., Rolf, C., Sudo, M., and Grim, S. (2013). Multi-proxy dating of Holocene maar lakes and Pleistocene dry maar sediments in the Eifel, Germany. *Quaternary Science Reviews* **62**, 56-76.
- Sitlivy, V., Chabai, V., Anghelinu, M., Uthmeier, T., Kels, H., Hilgers, A., Schmidt, C., Niță, L., Bălțean, I., Veselsky, A., and Hauck, T. (2012). The earliest Aurignacian in Romania: New investigations at the open air site of Românești-Dumbrăvița I (Banat). *Quartär* **59**, 85-130.
- Sohbati, R., Murray, A., Jain, M., Thomsen, K., Hong, S.-C., Yi, K., and Choi, J.-H. (2013). Na-rich feldspar as a luminescence dosimeter in infrared stimulated luminescence (IRSL) dating. *Radiation Measurements* **51–52**, 67-82.
- Sridhar, A., Chamyal, L. S., Bhattacharjee, F., and Singhvi, A. K. (2013). Early Holocene fluvial activity from the sedimentology and palaeohydrology of gravel terrace in the semi arid Mahi River Basin, India. *Journal of Asian Earth Sciences* **66**, 240-248.
- Starnberger, R., Drescher-Schneider, R., Reitner, J. M., Rodnight, H., Reimer, P. J., and Spötl, C. (2013). Late Pleistocene climate change and landscape dynamics in the Eastern Alps: the inner-alpine Unterangerberg record (Austria). *Quaternary Science Reviews* **68**, 17-42.
- Stockmann, U., Minasny, B., Pietsch, T. J., and McBratney, A. B. (2013). Quantifying processes of pedogenesis using optically stimulated luminescence. *European Journal of Soil Science* **64**, 145-160.
- Stone, A. E. C., and Thomas, D. S. G. (2013). Casting new light on late Quaternary environmental and palaeohydrological change in the Namib Desert: A review of the application of optically stimulated luminescence in the region. *Journal of Arid Environments* **93**, 40-58.
- Sun, X., Lu, H., Wang, S., Yi, S., Shen, C., and Zhang, W. (2013). TT-OSL dating of Longyadong Middle Paleolithic site and paleoenvironmental implications for hominin occupation in Luonan Basin (central China). *Quaternary Research* **79**, 168-174.
- Sun, X., Lu, H., Yi, S., and Bahain, J. J. (2013). Age and paleoenvironment of Paleolithic stone artifact remains discovered in the Tengger Desert, northern China. *Journal of Arid Environments* **91**, 129-137.
- Tema, E., Fantino, F., Ferrara, E., Lo Giudice, A., Morales, J., Goguitchaichvili, A., Camps, P., Barello, F., and Gulmini, M. (2013). Combined archaeomagnetic and thermoluminescence study of a brick kiln excavated at Fontanetto Po (Vercelli, Northern Italy). *Journal of Archaeological Science* **40**, 2025-2035.
- Thalbitzer Andersen, M., Jain, M., and Tidemand-Lichtenberg, P. (2012). Red-IR stimulated luminescence in K-feldspar: Single or multiple trap origin? *Journal of Applied Physics* **112**, 043507.
- Tolksdorf, J. F., Klasen, N., and Hilgers, A. (2013). The existence of open areas during the Mesolithic: evidence from aeolian sediments in the Elbe-Jeetzel area, northern Germany. *Journal of Archaeological Science* **40**, 2813-2823.
- Topaksu, M., Yüksel, M., Dogan, T., Nur, N., Akkaya, R., Yegingil, Z., and Topak, Y. (2013). Investigation of the characteristics of thermoluminescence glow curves of natural hydrothermal quartz from Hakkari area in Turkey. *Physica B: Condensed Matter* **424**, 27-31.
- Tronchere, H., Goiran, J.-P., Schmitt, L., Preusser, F., Bietak, M., Forstner-Mueller, I., and Callot, Y. (2012). Geoarchaeology of an ancient fluvial harbour: Avaris and the Pelusiac branch (Nile River, Egypt). *Géomorphologie - Relief Processus Environnement* **2012/1**, 23-36.
- Tsatskin, A., Sandler, A., and Porat, N. (2013). Toposequence of sandy soils in the northern coastal plain of Israel: Polygenesis and complexity of pedogeomorphic development. *Geoderma* **197–198**, 87-97.
- Tseng, C.-H., Wenske, D., Böse, M., Reimann, T., Lüthgens, C., and Frechen, M. (2013). Sedimentary features and ages of fluvial terraces and their implications for geomorphic evolution of the Taomi River catchment: A case study in the Puli Basin, central Taiwan. *Journal of Asian Earth Sciences* **62**, 759-768.
- Turner, F., Tolksdorf, J. F., Viehberg, F., Schwalb, A., Kaiser, K., Bittmann, F., von Bramann, U., Pott, R., Staesche, U., Breest, K., and Veil, S. (2013). Lateglacial/early Holocene fluvial reactions of the Jeetzel river (Elbe valley, northern Germany) to abrupt climatic and environmental changes. *Quaternary Science Reviews* **60**, 91-109.

- Tylmann, W., Enters, D., Kinder, M., Moska, P., Ohlendorf, C., Poręba, G., and Zolitschka, B. (2013). Multiple dating of varved sediments from Lake Łazduny, northern Poland: Toward an improved chronology for the last 150 years. *Quaternary Geochronology* **15**, 98-107.
- Vandenbergh, D. A. G., Derese, C., Kasse, C., and Van den haute, P. (2013). Late Weichselian (fluvio-)aeolian sediments and Holocene drift-sands of the classic type locality in Twente (E Netherlands): a high-resolution dating study using optically stimulated luminescence. *Quaternary Science Reviews* **68**, 96-113.
- Vasiliniuc, Ș., Vandenbergh, D. A. G., Timar-Gabor, A., Cosma, C., and van den Haute, P. (2013). Combined IRSL and post-IR OSL dating of Romanian loess using single aliquots of polymineral fine grains. *Quaternary International* **293**, 15-21.
- Veres, D., Lane, C. S., Timar-Gabor, A., Hambach, U., Constantin, D., Szakács, A., Fülling, A., and Onac, B. P. (2013). The Campanian Ignimbrite/Y5 tephra layer – A regional stratigraphic marker for Isotope Stage 3 deposits in the Lower Danube region, Romania. *Quaternary International* **293**, 22-33.
- Viveen, W., Braucher, R., Bourles, D., Schoorl, J. M., Veldkamp, A., van Balen, R. T., Wallinga, J., Fernandez-Mosquera, D., Vidal-Romani, J. R., and Sanjurjo-Sanchez, J. (2012). A 0.65 Ma chronology and incision rate assessment of the NW Iberian Mino River terraces based on Be-10 and luminescence dating. *Global and Planetary Change* **94-95**, 82-100.
- Voelkel, J., Grunert, J., Leopold, M., Huerkamp, K., Huber, J., and Murray, A. (2013). Eolian and fluvial sedimentation in the southwestern Sinai Mountains, Egypt: a record of flash floods during the late Pleistocene. *Hydrology Research* **44**, 281-299.
- Wang, J., Pan, B., Zhang, G., Cui, H., Cao, B., and Geng, H. (2013). Late Quaternary glacial chronology on the eastern slope of Gongga Mountain, eastern Tibetan Plateau, China. *Science China Earth Sciences* **56**, 354-365.
- Wang, X. L., and Wintle, A. G. (2013). Investigating the contribution of recuperated TL to post-IR IRSL signals in a perthitic feldspar. *Radiation Measurements* **49**, 82-87.
- Wasson, R. J., Chauhan, M. S., Sharma, C., Jaiswal, M., Singhvi, A. K., and Srivastava, P. (2013). Erosion of river terraces as a component of large catchment sediment budgets: A pilot study from the Gangetic Plain. *Journal of Asian Earth Sciences* **67-68**, 18-25.
- Weckwerth, P., Przegietka, K. R., Chruścińska, A., and Pisarska-Jamrozy, M. (2013). The relation between optical bleaching and sedimentological features of fluvial deposits in the Toruń basin (Poland). *Geological Quarterly* **57**, 31-44.
- Wen-Jun, Z., Hui-Ping, Z., Pei-Zhen, Z., Molnar, P., Xing-Wang, L., and Dao-Yang, Y. (2013). Late Quaternary slip rates of the thrust faults in western Hexi Corridor (Northern Qilian Shan, China) and their implications for northeastward growth of the Tibetan Plateau. *Geosphere* **9**, 342-354.
- Yang, L.-R., and Ding, Z.-L. (2013). Expansion and contraction of Hulun Buir Dunefield in north-eastern China in the last late glacial and Holocene as revealed by OSL dating. *Environmental Earth Sciences* **68**, 1305-1312.
- Yang, X., Li, A., and Hunag, W. (2013). Uplift differential of active fold zones during the late Quaternary, northern piedmonts of the Tianshan Mountains, China. *Science China Earth Sciences* **56**, 794-805.
- Yi, L., Lai, Z., Yu, H., Xu, X., Su, Q., Yao, J., Wang, X., and Shi, X. (2013). Chronologies of sedimentary changes in the south Bohai Sea, China: constraints from luminescence and radiocarbon dating. *Boreas* **42**, 267-284.
- Zander, A., and Hilgers, A. (2013). Potential and limits of OSL, TT-OSL, IRSL and pIRIR(290) dating methods applied on a Middle Pleistocene sediment record of Lake El'gygytyn, Russia. *Climate of the Past* **9**, 719-733.
- Zha, X., Huang, C., Pang, J., and Li, Y. (2012). Sedimentary and hydrological studies of the Holocene palaeofloods in the middle reaches of the Jinghe River. *Journal of Geographical Sciences* **22**, 470-478.
- Zhang, W., He, M., Li, Y., Cui, Z., Wang, Z., and Yu, Y. (2012). Quaternary glacier development and the relationship between the climate change and tectonic uplift in the Helan Mountain. *Chinese Science Bulletin* **57**, 4491-4504.
- Zink, A. (2013). A coarse Bayesian approach to evaluate luminescence ages. *Geochronometria* **40**, 90-100.

Zular, A., Sawakuchi, A. O., Guedes, C. C. F., Mendes, V. R., Nascimento Jr, D. R., Giannini, P. C. F., Aguiar, V. A. P., and DeWitt, R. (2013). Late Holocene intensification of colds fronts in southern Brazil as indicated by dune development and provenance changes in the São Francisco do Sul coastal barrier. *Marine Geology* **335**, 64-77.